Contents
and
Subject Index

Pflanzenschutz-Nachrichten

»Bayer«

Volume 1967



Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1967_index-contents

Contents

Volume 1967

Page

Cramer, H. H.:
Plant Protection and World Crop Production 1

Goeldner, H.:
Application of ®Antracol to grapes 600

Grewe, F.:
®Antracol, a new fungicide of the alkylene bisdithiocarbamic acid group 581

Jarczyk, H. J., and Vogeler, K.:
Analytical method for determining residues of ®Gatnon in plants and soil by U.V. spectroscopy 575

Kaspers, H.:
A contribution to studies on the biology and control of apple mildew *Podosphaera leucotricha* [Ell. & Ev.] Salm.) 687

Kolbe, W.:
Studies on mangold fly control (1957—1967), with reference to aphid control 644

Kremer, Fr. W.:
Influence of pesticides on russeting of Golden Delicious apples 629

Kremer, Fr. W., and Unterstenhöfer, G.:
Computation of results of crop protection experiments by the method of Townsend and Heuberger 625

Möllhoff, E.:
Gas chromatographic determination of residues of ®E 605 products and ®Agritox in plants and soil samples 557

Özbas, O.:
Studies on the control of tobacco blue mould *(Peronospora tabacina* Adam) in Turkey 611

Prahl, H. von:
Results of trials for controlling Sigatoka disease of bananas with ®Antracol in Colombia 617

Rijsten, E. G.:
Occurrence and control of *Haplodiplosis equestris* in Holland 674

Rout, G., and Senapati, B.:
Insecticidal experiments for the control of mustard aphid 681

Vogeler, K.:
Colorimetric and polarographic determinations of ®Antracol residues in and on plants 525

Vogeler, K., and Niessen, H.:
Colorimetric and gas chromatographic determinations of ®Euparen residues in plants 534

Vogeler, K., and Niessen, H.:
Gas chromatographic determination of ®Morestan residues in plants 550

Subject Index 1967

(The Scientific Index of No. 1, 1967 will be found on Pages 517—524 of that edition)

A

®Agritox 557, 558, 652, 654, 656, 657, 676, 677
Agritox, determination of residues in plants and soil samples 557—572
Aldrin 561, 564—566
Alkylene bisdithiocarbamate fungicides 583
Alkylene bisdithiocarbamic acid 581
Alternaria dauci 594
Alternaria solani 594
®Antracol 525—533, 581—622, 638, 640
Antracol, application to grapes 600—610
Antracol, biological activity of 587—596
Antracol, chemical and physical properties of 586
Antracol, determination of residues in and on plants 525—533
Antracol, formulations of 585
Antracol, side-effects of 603
Antracol, toxicological properties of 586—587
Aphid control 662—665
Aphis (Doralis) fabae 664, 665
Apple mildew, biology and control of 687—700
Apple mildew, germination and infection 688—695
Apples, russeting of 629—642

B

Bananas 595—596
Bayer 46 131 585
Benzthiazuron 575—580
Bisdithiocarbamates 587, 588, 590—595
Bladan M 637, 639
Blister blight of tea 595
Blue mould of tobacco 611—616
Bordeaux mixture 582, 601, 602
Botrytis cinerea 591, 605—607
Botrytis sp. 591, 594, 603, 605—607, 609, 610
Botrytis squammosa 594
Brassica campestris 681

C

Captan 584, 587, 603, 640, 641
Captan/Phaltan group 594
Carbaryl 653, 655—657
Celery early blight 625
Celery leaf spot 595
Cercospora apii 625—627
Cercospora musae 596
Cercospora sp. 625
Chinomethionat 550—555
®Chlorthion 558—572, 656, 657, 663
®Chlorthion forte 652, 654
Cladosporium fulvum 581
Colorimetric method for determination of Dichlofluanid residues 535—540
Colorimetric method for determination of Propineb residues 525—529
Computation of crop protection experiment results (method of Townsend and Heuberger) 625—627
Copper-Antracol 600, 601, 604, 606
Copper-Lonacol 606
Copper oxychloride 600—602, 606, 633, 638
Copper oxyquinolinate 595
Copper-Zineb 600, 601, 604, 605, 610
®Cupravit (Ob 21) 632, 633, 638

D

®DDT 561, 564, 565
DDVP 637, 638
®Dedevap 652, 654, 656, 657
Dialkyl dithiocarbamic acids 582
Diazinon 638, 663
Dichlofluanid 534—549
Dichlorodiphenyltrichloroethane 564, 653, 655, 657, 676—680

Dichlorodiphenyltrichloroethane + Folidol E 605 676—680
Dieldrin 561, 564, 565
O,O-diethyl-O-(4-nitrophenyl)-monothiophosphate 557
Dimethoate 637, 638, 639, 652, 654, 656, 657, 663, 681—686
O,O-dimethyl-O-(3-chloro-4-nitrophenyl)-monothiophosphate 558
O,O-dimethyl-O-(3-methyl-4-nitrophenyl)-monothiophosphate 557
O,O-dimethyl-O-(4-nitrophenyl)-monothiophosphate 557
N,N-dimethyl-N'-phenyl-(N'-fluorodichloromethylthio)-sulphamide 534
Dimethyldithiocarbamate 525
®Dipterex 637, 638, 650, 652—666, 676
Dipterex, initial toxicity and residual action of 658—661
®Dipterex MR 652, 654, 656, 657, 663, 664, 666
Disodium ethylene bisdithiocarbamate 583, 584
®Disyston 653, 655—657, 661, 662, 666
Dithiocarbamate fungicides 581 ff.
Dithiocarbamates 525, 529, 581—596
Ditylenchus dipsaci 662
Doralis fabae, see *Aphis fabae*
Downy mildew of grape 591, 592, 600—603 606—610
Downy mildew of hop 592, 593

E

®E 605 557, 649
E 605 conc. 633, 637, 649, 663, 665
®E 605-Folidol 557
E 605 products, determination of residues in plants and soil samples 557—572
Early blight 594
Effect of insecticidal granules against mangold fly 661—662
Endrin 561, 564, 565, 649, 653, 655—657
®Eradex 637, 639
Estimation of losses by method of Townsend and Heuberger 625—627
Ethylene bisdithiocarbamate group 525
Ethylene bisdithiocarbamates 525, 596
Ethyl-Gusathion, see Gusathion A
O-ethyl-O-(2,4,5-trichlorophenyl)-ethyl-monothiophosphonate 558
®Euparen 534—549, 607, 638, 641
Euparen, determination of residues in plants 534—549
Exobasidium vexans 595
Experimental Product 5078a 614, 615
Experimental Product 5503 652, 654, 656, 657

F

Fenitrothion 557—572
Ferbam 583, 584, 587
Field crops and vegetables 594—595
Foliar-sprayed insecticides, effect against mangold fly 652—661
®Folidol E 605 676—678, 680
®Folidol M 557
®Folimat 637, 638, 639, 652, 654, 656, 657, 663
®Folithion 557, 652, 654, 656, 657
Folpet 600—610
Fruit tree red spider mite 594

G

Gamma Wettable Powder 653, 655, 657
Gas chromatographic determination of Morestan residues in plants 550—555
Gas chromatographic method for determining Dichlofluanid residues 540—547
Gas chromatographic method for determining residues of E 605 products and Agritox 557—572
®Gatnon, determination of residues in plants and soil 575—580
Golden Delicious apples, russeting of 629—642
Grape vines 591—592, 600—610
Grapes 591—592, 600—610
Grey mould 605—607, 610
Grey mould of grape 591, 603, 605—607, 610

®Gusathion 637, 638, 639, 652, 654, 656, 657
®Gusathion A 632, 633, 637, 638, 652, 654, 656, 657

H

Haplodiplosis equestris 674 ff.
Hop downy mildew 592, 593
Hop mould 592, 593
Hops 592—593
®Hydrol 653, 655—657

I

Insecticidal granules, effect against mangold fly 661—662

L

®Lebaycid 652, 654, 656, 657, 663
Lime-sulphur mixture 582
Lindane 561, 564—566
Lipaphis erysimi 681, 685
®Lonacol (zineb) 638, 640

M

Macrosporium sarcinaeforme 584
Malathion 638, 652, 654, 656, 657
Maneb 583, 584, 587, 591, 594—596, 603, 604, 606, 608, 612—616, 617—622
Mangold fly, biology of 647—648
Mangold fly, control of 644—666 (648—649)
Mangold fly, losses from 649—651
Mangold fly (spinach leaf miner), occurrence of 644—647
®Matacil 653, 655—657
Menazon 681—686
®Mesurol 637, 653, 655—657
Metabolism of Euparen active ingredient on the plant 547—549
®Metasystox 649, 653, 655, 657
®Metasystox(i) 652, 653, 655, 657, 663—665, 681—686
®Metasystox R 637, 639, 653, 655, 657, 663, 664, 666
Metasystox-Sulphoxide 663
Metatetranychus ulmi 594, 607, 608, 640
Method of Townsend and Heuberger for computation of experiment results 625—627
N-methyl-N'-(2-benzothiazolyl)-urea 575
Methyl-Gusathion, see Gusathion
Methyl-Parathion 637
6-methyl-quinoxaline-2,3-dithiol-cyclocarbonate 550
Methylzineb 585
Mevinphos 681—686
Mezineb 585
®Morestan 550—555, 638, 700
Morestan, determination of residues in plants 550—555
Mustard aphid, control of 681—686
Mycosphaerella musicola 617, 618, 622
Myzodes (Myzus) persicae 663—665, 685

N

Nabam 583—585
Northern Brewer (hop variety) 592

O

Ob 21, see Cupravit (Ob 21)
Oidium tuckeri 591, 603
Opius nitidulator 648
®Orthocide 50 638, 640
Oxythioquinox 550

P

Paraoxons 559
Parathion 557—572, 637, 638, 681—686
Parathion-methyl 557—572
Pegomya betae 647, 648
Pegomya hyoscyami 647, 648
Peronospora destructor 594
Peronospora tabacina 595, 611—616
Pesticides, influence on russeting 629—642
Phaltan 594
Phosphamidon 681—686
Phygadeuon pegomyiae 648
Phytophthora infestans 583, 587—591, 594
Plasmopara viticola 583, 587, 591, 600

Podosphaera leucotricha 687—700
Polarographic method for determination of Propineb residues 529—532
®Pomarsol 583
®Pomarsol conc. (TMTD) 638, 640
®Pomarsol forte (TMTD) 583, 638, 640
®Pomarsol Z conc. (Ziram) 638, 640
Powdery mildew of grape 603, 604, 607
Propineb 525—533, 585—596, 603
1,2-propylene bisdithiocarbamic acid 584, 585
Pseudopeziza tracheiphila 591, 602
Pseudoperonospora humuli 584, 592
Psilopa leucostoma 648

R

Red fire disease 591, 602—603
Residues of Propineb 596
Rhopalosiphum padi 685
Russeting of Golden Delicious apples 629—642

S

Saddle gall midge, occurrence and control 674—680
Safety intervals for Propineb 596
Salicylic anilide 581
Septoria apii-graveolentis 595
®Shirlan 582
Sigatoka disease 596, 617—622
Spider mites 607—610
Spinach leaf miner, biology of 647—648
Spinach leaf miner, control of 644—666 (648—649)
Spinach leaf miner, losses from 649—651
Spinach leaf miner (mangold fly), occurrence of 644—647
Stem and bulb eelworm 662, 666
®Systox 637

T

Tea 595
®Terracur P 662, 666
Tetrachloroisophthalonitrile 595
Tetramethyl thiuram disulphide 582, 583
Tetramethyl thiuram monosulphide 582
Tetranychus urticae 608, 609
Thiocarbamate 591, 602, 605
Thiometon 653, 655, 657
Thiuram 582—584, 591
Thiuram derivative 601—610
TMTD 582—584, 587, 591, 638
TMTM 582
Tobacco 595, 611—616
Tobacco blue mould 611—616
Top fruits 593—594
Trichloronat 558—572
®Tuzet 639, 641
Two-spotted spider mite 608, 609

U

®Unden 637, 639, 653, 655—657, 676
U.V. spectroscopic determination of Gatnon residues 575—580

V

Vegetables 594—595
Venturia inaequalis 582, 587, 593, 626
Venturia pirina 582

W

Wettable Sulphur Bayer 633, 638, 641

Y

Yield losses from mangold fly (spinach leaf miner) 649—651

Z

Zineb 525, 583, 584, 587—595, 600—610, 612—616, 638, 640
Zinc-Maneb coordination product 590, 592
Zinc-[N,N'-propylene-1,2-bis(dithiocarbamate)] 525, 586, 618
Ziram 583, 584, 587, 591, 638, 640

E. 55-629/989 Printed in Germany